

Agromet Advisory Service Bulletin for Thiruvananthapuram District





Dated: 16.09.2025

Bulletin No. TVM-AAS-37/2025, (74)

SIGNIFICANT WEATHER FOR THE PRECEEDING WEEK

| Rainfall(mm) | Max Temperature(°C) | Min Temperature(°C) | Relative Humidity (%) | Evaporation(mm) |
|--------------|---------------------|---------------------|-----------------------|-----------------|
| 0 | 31.8-33.4 | 21.8-22.5 | 73-90 | 4.0-4.9 |

| Weather parameters | 17/09/2025 | 18/09/2025 | 19/09/2025 | 20/09/2025 | 21/09/2025 | |
|--------------------------------------|--|------------|------------|------------|------------|--|
| Rainfall (mm) | 1 | 2 | 0.5 | 0.3 | 0.1 | |
| Maximum temperature(°C) | 33 | 33 | 33 | 33 | 33 | |
| Minimum temperature (°C) | 24 | 24 | 24 | 24 | 24 | |
| Maximum Relative Humidity (%) | 88 | 88 | 88 | 88 | 88 | |
| Minimum Relative Humidity (%) | 69 | 69 | 69 | 69 | 69 | |
| Wind speed (kmph) | 4 | 4 | 3 | 2 | 4 | |
| Wind direction (deg) | 320 | 290 | 270 | 270 | 270 | |
| Total cloud cover (octa) | 7 | 8 | 7 | 7 | 6 | |
| WEATHER SUMMERY ALERT | There is a chance of very light rainfall in isolated places of the district. Cumulatively below normal rainfall is likely over kerala. | | | | | |
| GENERAL ADVISORY | With increased evaporation and persistent dry atmospheric conditions, ensure timely irrigation for crops and maintain adequate soil moisture levels. Also provide organic mulches to prevent excess evaporation. | | | | | |

AGRO-METEOROLOGICAL ADVISORIES

| Paddy | Rice bug | To control rice bug in paddy, spray fish jaggery extract (20 ml/lt) or neem seed kernel extract (50 gram/lt). Keep the field and bunds free of weeds and grasses. | |
|---------|---|---|--|
| Banana | Leaf eating caterpillar | Collect the young larvae and destroy. If severe apply Quinalphos 25 EC (1.5 ml/lt) at leaf axils. | |
| Brinjal | White fly | Place yellow sticky traps @ 20 no/ha. Spray Lecanicillium lecanii 20 gram/lt | |
| Cattle | Provide plenty of drinking water to cattle. Avoid grazing in the peak hours of the day. Provid fan and proper ventilation in the shed | | |